

# PREFERENCES

## PREFERENCE LIST- REMOVABLE



DOCTOR NAME: \_\_\_\_\_

PRACTICE NAME: \_\_\_\_\_

OFFICE LOCATION & ADDRESS: \_\_\_\_\_

- BITE RIMS:     WAX BASE     TRIAD BASE
- STANDARD HEIGHT : 18mm upper / 22 mm lower     SPECIAL HEIGHT REQUESTED : \_\_\_\_\_
- FULL LENGTH BORDERS     SHORT OF VESTIBULES

- CUSTOM TRAYS:    ALL TRAYS ARE TRIAD MATERIAL
- FULL EXTENSION     SHORT OF VESTIBULES TO ALLOW BORDER MOLDING
- LENGTH PER SPECIAL INSTRUCTIONS : \_\_\_\_\_

- TRY - IN:     WAX BASE     TRIAD BASE
- ANATOMICAL WAX-UP     SMOOTH WAX-UP
- \*preserve original bites and make new bases for the try-in

- TEETH:
- HOUSE TEETH (Heraeus Kulzer)
- PREMIUM TEETH(SPECIFY BRAND) \_\_\_\_\_

- SHADE:
- VITA     Bioform     3D Master

- FINISHING:
- SMOOTH FINISH     ANATOMICAL FINISH
- FESTOONING     STIPPLING
- PALATAL RUGAE     FULL LENGTH FLANGES
- FLANGES JUST SHORT OF VESTIBULE     SPECIAL LENGTH REQUESTED: \_\_\_\_\_

- POLISHING:     HIGH SHINE     OTHER SPECIFICATIONS

OTHER PREFERENCES NOT LISTED OR COMMENTS:

note: to help achieve consistency in the restorations you receive, all checked boxes will become default for all of your cases unless otherwise instructed.